

Congratulations on purchasing your very own UVI chair, which will make sure you are sitting correctly and comfortably. Below you will find the guide for correct assembly and proper usage. For proper assembly of the chair, please follow the instructions carefully.

The following assembly guides apply to the following models:

UVI Chair GAMER

UVI Chair SPORT XL

Contents of the package



1. support pillow for your back
2. support pillow for your head
3. side caps
4. wheels
5. chair legs
6. back rest
7. gas lift
8. gas lift cover
9. gas lift control mechanism
10. bottom rest
11. arm rests
12. not pictured: screws, tool and hole cover

Screws – specification



- A. screw key
- B. bolt M8 x25 (longer)
- C. bolt M8 x20 (shorter)
- D. plain washer
- E. spring washer
- F. plastic cover for holes (3)

Assemble all screws in this order: First E (spring washer) then D (plain washer). This will ensure that the screws don't get loose. Please, apply reasonable strength.

Chair assembly guide

Estimated time to assemble this chair is about 30 minutes. You can do it on your own, but we advise you to get some help to make things easier.

To avoid unnecessary problems, please read the whole guide before assembling.

All the tools and screws are supplied. Only use the screws that are in the package!

To avoid damage and tearing after prolonged use, all the holes are thermally treated. Please clean the holes before tightening the screws (pictured in step 3)

After completing the assembly, we recommend you to wipe the chair with a damp cloth. If you notice stains left from the manufacturing process, you may want to use a leather cleaning product, which must be applied to a cleaning cloth and not directly to the chair

Step by step assembly

STEP 1

Insert wheels (4) into the chair legs (5). For easier insertion wiggle the wheels left and right until they slide in the hole. Do NOT hit the wheels!




STEP 2

Insert the gas lift (7) into the chair legs (5) and cover the gas spring with the cover (8).



STEP 3

Clean all the screw holes. The holes are thermally treated to prevent damage and tearing after prolonged use. Before inserting the screw, please clean all the holes by inserting the tool, bending it at an angle and spinning it around the hole.




STEP 4

Attach the arm rests (11) to the bottom plate (10). Use the longer screws M8x25mm (B).



STEP 5

Attach the gas lift control mechanism (9) to the bottom plate (10). On the control mechanism, you will find the word FRONT and an arrow pointing forward. Turn the mechanism, so that the FRONT sign is facing the front part of the chair. Use the shorter screws M8x20mm (Shorter, C). Please, apply reasonable strength. Attach plastic (left and right) in gaslift mechanism, push to the end.



STEP 6

Place the bottom plate (10) on the gas spring (7). Please make sure that it fits together nicely.



STEP 7

Place the back plate (6) on the bottom plate and secure it with the side screws M8x25mm (longer, B). First, screw all of them half way, then till the end. Please, apply reasonable strength.



STEP 8

Attach the side covers (3) to the side mechanism. Start by pushing the lower part into the hole so it locks, then screw the upper side with the screw for the cover plastic (F). On the inner side of the cover, L (left side) and R (right side) are indicated and they mark the side where each of the two covers should be applied. At last, apply the hole covers.



STEP 9

If you wish, you can install the support pillows (2 and 1). The smaller support pillow for the head (1) has a band that you simply place at the head area of the chair. The bigger lower pillow can be fitted by placing the bands between the bottom and back plates and clipping them at the back. For easier installation, push the sitting foam downward and push the band through with the other hand.



Congratulations, you have successfully assembled your own UVI chair. In case you need any additional information, please can contact us via email info@uvichair.com or this mobile number 00 386 70 388 288. We will be happy to help you.



Usage instructions

All UVI chairs have the original memory foam which will adapt to your body after the first few hours of usage. Because of this, sitting can be a bit uncomfortable at the beginning.

All the chairs that have the 180 degrees inclination are perfectly safe to use. Our bodies are not used to this position, so they can have a reflexive response to it. We recommend you to lower the chair to this position gradually, so your body can adapt.

All our chairs are made to carry the maximum allowed weight. If you use the chair improperly, damage to it or to you may occur. Jumping, hanging and similar activities are, of course, not advised.

You can adjust the height, back rest and tilt of your UVI chair.

- Adjust the height by using the handle under the seat (on the right side). If you want your chair to go higher, please get off of the chair, and if you want to lower the position, simply sit on it.
- On the right, you will find the handle that adjusts the angle of the back rest. You can adjust the angle by lifting the handle. When rising it, please hold the back rest to prevent it from striking you.
- Under the seat is the round button which controls the tilt of the chair. You can turn it left or right to get the desired tilt. If you do not want your chair to tilt, please push the left handle down and this will disable the tilt function of the chair to enable tilt, push left handle up.

Important!

Never seat at the end of the chair! Try to sit as straight at the middle of the chair as possible with your shoulder blades touching the back of the chair. We highly advise the use of the head pillow. The lower pillow might not feel right to all users. In case you cannot get used to it, we advise you to remove it as it may cause you to lose focus while gaming/working.

Warning!

Don't seat at the end of the chair as it may tip over if you do so. Sit in the natural posture. We also highly recommend you NOT TO cross your legs when sitting.